


# Serie 6.5.

## Einfachkettenrad




Rohrmat.	D x s = DD	d	Teilung	Zähneanzahl	B1	do	Nd	NL	KM	Ü	M	AG	IG	SW	AL=	RL=	Bestellnummer	
St St St	80x2 89x3,25 108x3,25	15	1/2"	13	7	53,06	40	24	38	5,5	10	M12			EL+35	EL-50	6.5.DD.M.d.M.1.12.3.1.2.13	
										5,5	13	M16			EL+45	EL-66	6.5.DD.M.17.M.1.16.3.1.2.13	
										10,5			M10		EL	EL-45	6.5.DD.M.d.M.2.10.3.1.2.13	
										10,5			M12		EL	EL-45	6.5.DD.M.17.M.2.12.3.1.2.13	
										10,5				12x10	EL+20	EL-45	6.5.DD.M.d.M.3.12.3.1.2.13	
										10,5				15x10	EL+20	EL-45	6.5.DD.M.17.M.3.15.3.1.2.13	
		17	5/8"	12	9	61,34	42	32	32	46	5,5	10	M12			EL+35	EL-58	6.5.DD.M.d.M.1.12.3.1.3.12
											5,5	13	M16			EL+45	EL-74	6.5.DD.M.17.M.1.16.3.1.3.12
											10,5			M10		EL	EL-53	6.5.DD.M.d.M.2.10.3.1.3.12
											10,5			M12		EL	EL-53	6.5.DD.M.17.M.2.12.3.1.3.12
											10,5				12x10	EL+20	EL-53	6.5.DD.M.d.M.3.12.3.1.3.12
											10,5				15x10	EL+20	EL-53	6.5.DD.M.17.M.3.15.3.1.3.12
	15	13	9	66,31	49	30	44	5,5	10	M12					EL+35	EL-56	6.5.DD.M.d.M.1.12.3.1.3.13	
								5,5	13	M16			EL+45	EL-72	6.5.DD.M.17.M.1.16.3.1.3.13			
								10,5			M10		EL	EL-51	6.5.DD.M.d.M.2.10.3.1.3.13			
								10,5			M12		EL	EL-51	6.5.DD.M.17.M.2.12.3.1.3.13			
								10,5				12x10	EL+20	EL-51	6.5.DD.M.d.M.3.12.3.1.3.13			
								10,5				15x10	EL+20	EL-51	6.5.DD.M.17.M.3.15.3.1.3.13			
		15	9	76,36	55	30	44	5,5	10	M12					EL+35	EL-56	6.5.DD.M.d.M.1.12.3.1.3.15	
								5,5	13	M16			EL+45	EL-72	6.5.DD.M.17.M.1.16.3.1.3.15			
								10,5			M10		EL	EL-51	6.5.DD.M.d.M.2.10.3.1.3.15			
								10,5			M12		EL	EL-51	6.5.DD.M.17.M.2.12.3.1.3.15			
								10,5				12x10	EL+20	EL-51	6.5.DD.M.d.M.3.12.3.1.3.15			
								10,5				15x10	EL+20	EL-51	6.5.DD.M.17.M.3.15.3.1.3.15			
3/4"	13	10,8	79,59	59	30	44	5,5	10	M12					EL+35	EL-56	6.5.DD.M.d.M.1.12.3.1.4.13		
							5,5	13	M16			EL+45	EL-72	6.5.DD.M.17.M.1.16.3.1.4.13				
							10,5			M10		EL	EL-51	6.5.DD.M.d.M.2.10.3.1.4.13				
							10,5			M12		EL	EL-51	6.5.DD.M.17.M.2.12.3.1.4.13				
							10,5				12x10	EL+20	EL-51	6.5.DD.M.d.M.3.12.3.1.4.13				
							10,5				15x10	EL+20	EL-51	6.5.DD.M.17.M.3.15.3.1.4.13				

an dieser Stelle Rohrdurchmesser eintragen  
an dieser Stelle Achsdurchmesser eintragen

← DD  
← d  
← M—M  
stahlblank = 1  
verzinkt = 2

# Serie 6.5.

## Einfachkettenrad




Rohr- mat.	D x s= DD	d	Teilung	Zähne- anzahl	B1	do	Nd	NL	KM	Ü	M	AG	IG	SW	AL=	RL=	Bestellnummer							
St	80x2	15	1/2"	14	7	57,07	40	22	37	5,5	10	M12			EL+35	EL-48	6.5.DD.M.d.M.1.12.3.5.2.14							
										5,5	13	M16			EL+45	EL-54	6.5.DD.M.17.M.1.16.3.5.2.14							
										10,5			M10		EL	EL-43	6.5.DD.M.d.M.2.10.3.5.2.14							
										10,5			M12		EL	EL-43	6.5.DD.M.17.M.2.12.3.5.2.14							
										10,5				12x10	EL+20	EL-43	6.5.DD.M.d.M.3.12.3.5.2.14							
										10,5				15x10	EL+20	EL-43	6.5.DD.M.17.M.3.15.3.5.2.14							
KS	89x3,25	17	5/8"	12	9	61,34	42	32	46	5,5	10	M12			EL+35	EL-56	6.5.DD.M.d.M.1.12.3.5.3.12							
St	108x3,25	5,5								13	M16			EL+45	EL-62	6.5.DD.M.17.M.1.16.3.5.3.12								
		10,5										M10		EL	EL-51	6.5.DD.M.d.M.2.10.3.5.3.12								
St	108x3,25	17								5/8"	12	9	61,34	42	32	46	10,5			M12		EL	EL-51	6.5.DD.M.17.M.2.12.3.5.3.12
																	10,5				12x10	EL+20	EL-51	6.5.DD.M.d.M.3.12.3.5.3.12
																	10,5				15x10	EL+20	EL-51	6.5.DD.M.17.M.3.15.3.5.3.12
			10,5																					

an dieser Stelle Rohrdurchmesser eintragen  
an dieser Stelle Achsdurchmesser eintragen

← DD  
← d  
← M ← M  
stahlblank = 1  
verzinkt = 2

# Serie 6.5.

## Einfachkettenrad



Rohr- mat.	D x s= DD	d	Teilung	Zähne- anzahl	B1	do	Nd	NL	KM	Ü	M	AG	IG	SW	AL=	RL=	Bestellnummer
St St St	80x2 89x3,25 108x3,25	20	5/8"	13	9	66,31	49	30	44	3	13	M16			EL+45	EL-59	6.5.DD.M.20.M.1.16.3.1.3.13
										3	16	M20			EL+55	EL-75	6.5.DD.M.20.M.1.20.3.1.3.13
										8			M10		EL	EL-48	6.5.DD.M.20.M.2.10.3.1.3.13
										8			M12		EL	EL-48	6.5.DD.M.20.M.2.12.3.1.3.13
										8				15x10	EL+20	EL-48	6.5.DD.M.20.M.3.15.3.1.3.13
				3	13	M16			EL+45	EL-59	6.5.DD.M.20.M.1.16.3.1.3.15						
				3	16	M20			EL+55	EL-75	6.5.DD.M.20.M.1.20.3.1.3.15						
				8			M10		EL	EL-48	6.5.DD.M.20.M.2.10.3.1.3.15						
				8			M12		EL	EL-48	6.5.DD.M.20.M.2.12.3.1.3.15						
			8				15x10	EL+20	EL-48	6.5.DD.M.20.M.3.15.3.1.3.15							
			3	13	M16			EL+45	EL-56	6.5.DD.M.20.M.1.12.3.1.4.13							
			3	16	M20			EL+55	EL-72	6.5.DD.M.20.M.1.20.3.1.4.13							
			8			M10		EL	EL-51	6.5.DD.M.d.M.2.10.3.1.4.13							
			8			M12		EL	EL-51	6.5.DD.M.17.M.2.12.3.1.4.13							
			8				15x10	EL+20	EL-51	6.5.DD.M.17.M.3.15.3.1.4.13							

an dieser Stelle Rohrdurchmesser eintragen

← DD  
 stahlblank = 1 ← M—M  
 verzinkt = 2 ←